

QUALITY STONE VENEER, INC.

2023 STONE ONLY PRICING GUIDE

QUALITY STONE VENEER'S 2023 MATERIAL-ONLY GUIDE FOR STONE, PRECAST & INSTALLATION MATERIALS.



TABLE OF CONTENTS

PAGE 1: DISCLOSURES & ORDER INFORMATION

PAGE 2: TRADITIONAL STONE SELECTIONS

PAGE 3: STANDARD COLOR SELECTIONS

PAGE 4: CLASSIC COLOR SELECTIONS

PAGE 5: LARGE PROFILE STONE SELECTIONS

PAGE 6: CLIP SYSTEM™ & LAMBRIS INSTALL MATERIALS

PAGE 7: LAMBRIS SELECTIONS

PAGE 8: LAMBRIS SELECTIONS CONTINUED

PAGE 9: PRECAST ACCENTS

PAGE 10: PRECAST WALL CAPPING

PAGE 11: INSTALLATION MATERIALS & FLAGSTONE



WWW.QUALITYSTONEVENEER.COM

QUALITY STONE VENEER, INC. 50 REFTON ROAD REFTON, PA 17568 UNITED STATES

STONEONLY@QUALITYSTONEVENEER.COM



(800) 795-3229









ONE MANUFACTURER. ONE INSTALLER. ONE SOURCE OF ACCOUNTABILITY.

Disclosures:

Quote is valid through expiration date listed on the estimate.

All stone colors and styles should be chosen by actual samples due to fact that colors may vary online and in print form. Variations from samples should be expected as sample sizes do not represent the complete stone size and color range. To view the complete range, lay out 20-60 square feet of stone. Colors will vary within any product selection as raw materials and production conditions are subject to minor changes. Masonry materials should be blended evenly throughout all boxes for best results.

All new sales orders are subject to a minimum order amount of \$500.00, excluding any tax and shipping charges.

Additions to an existing order are not subject to a minimum order amount.

Customer assumes responsibility for all item quantities purchased. If Quality Stone Veneer, Inc (hereafter referred to as "QSV") has provided any quantity estimates, materials proposed are based on their estimating practices. Any additional stone that is determined to be needed will be at full cost to customer, subject to current lead times and additional shipping or applicable fees.

Please note that we do not accept any returns.

Shipping/Pick-Up:

Shipping is charged per mile from the closest QSV manufacturing facility. Orders requiring multiple shipments due to volume will be charged shipping for each delivery. Customer must be ready to accept delivery within 30 days of material becoming available.

As an alternative to shipping, QSV allows customers to elect to pick up orders directly from one of our manufacturing facilities. At this time, pick up options are available at our Tower City, PA and Refton, PA facilities. Customers electing this option must pick up materials within 30 days of material becoming available. Box measurements and material weights are available upon request.

Payment Terms:

Payment terms for customers without credit established will require payment in full before order is processed.

Payment terms for customers with credit established will follow the terms of the customer's credit account. Customer will be required to pay down payment if amount of sale exceeds available credit. Credit application must be processed and approved before order is processed for credit terms to apply to sales order. Credit terms are subject to change at any time and at the sole discretion of Quality Stone Veneer based on recent credit history.

Multi-shipment orders will have "Due Pay" terms, requiring payment in full to be received for each shipment before the subsequent shipment is released.

Order Cancellations:

All cancelled orders will be charged 50% cancellation fee.

If customer does not schedule delivery or pick up of materials within 30 days of material becoming available, order will be cancelled and materials returned to inventory. Customer will be charged 50% cancellation fee.

Pick-Up / Delivery Confirmation:


Customer has the right and responsibility to inspect the entire order before leaving the lot if picked up, or before driver leaves if delivered. Failure to do so releases Quality Stone Veneer from all liability with regard to claims for damages, imperfections, errors, shortages or discrepancies etc. Customer must notate any such claim in writing on stone order and must make sure that delivery driver signs and attests to the exception before customer signs for receipt of order. For deliveries, customer must also notify QSV office in writing within 5 days of delivery of stone order. INSTALLATION EQUALS ACCEPTANCE.

We appreciate your business. Thank you!





2		DATE:		CUSTOMER NAM	IE:		
TATILITY STO		BILLING ADDR	ESS:	<u> </u>		CITY, STATE:	
VENIER I		ZIP CODE:	ZIP CODE: PHONE: E			EMAIL:	
es	t. 1976	DELIVERY ADD	PRESS: (IF APP	LICABLE)	CITY, STATE:		ZIP CODE:
1.800.795.62 STONEONLY@QUALITYSTONE							
*SHIPPING IS CALCULA \$5.00 PER MILE 1 W	A STATE OF THE PARTY OF THE PAR	20 m / 20 m	PICKUP FROM: EFTON RD, R	REFTON, PA EFTON, PA 17568			TOWER CITY, PA D, TOWER CITY, PA 17980
STONE STYLE SELECTION	ON STC	NE COLO	R SELE	CTION	PRECA	AST COLOR	SELECTION
					MORT	AR COLOR S	SELECTION
FLATS/CORNERS @	11)()	. FLATS NTS OF 10)			N. FT. CC		
TOADITIONI	Sta	ndard Color			Color		tom Color
TRADITIONA	Corners		C	ats orners		Flats Corners	
SWATCH	STONE I	NAME		LATIS QUIAN		CORNER	S QUANTITY
	COBBLES	TONE					
	FIELDST	ONE					
	BROOKS	TONE					
	Sta	ndard Color		Classi	c Color	Cus	tom Color
LEDGESTON	Flats Corners			ats orners		Flats Corners	
SWATCH	STONE A	IAME		LATIS QUIAN	TITTY		S QUANTITY
	LEDGES	ONE					
DDVCTACI	NOW DESCRIPTION	ndard Color			Color		tom Color
DRYSTACK:	Flats Corners		100 0	ats orners		Flats Corners	
SWATCH	STONE A	VAME -	F	LATIS QUIAN	TITITY	CORNER	S QUANTITY
	DRYSTA	CK					REQUEST
	OHIO DRY	STACK					(800)795-3229 A QUOTE



STANDARD COLOR SELECTIONS

STANDARD LEAD TIME | STANDARD SQ/FT COST

All Colors Available in Styles: DRYSTACK, OHIO DRYSTACK, COBBLESTONE, FIELDSTONE DRYSTACK LAMBRIS, OHIO DRYSTACK LAMBRIS, COBBLESTONE LAMBRIS & FIELDSTONE LAMBRIS









Light & Neutral Tones









Gray & Blue Tones

























Dark & Black Tones











CLASSIC COLOR SELECTIONS

INCREASED LEAD TIME | INCREASED SQ/FT COST

All Colors Available in Styles: DRYSTACK, OHIO DRYSTACK, COBBLESTONE, FIELDSTONE DRYSTACK LAMBRIS, OHIO DRYSTACK LAMBRIS, COBBLESTONE LAMBRIS & FIELDSTONE LAMBRIS



SIENNA





Light & Neutral Tones



















Red & Maroon Tones









Earth Tones












The color selections on this document are pictured in a variety of stone styles. Colors may vary slightly from swatches. It is recommended customers inspect larger areas and choose off of actual samples. For a full view of color selections and styles, please visit our website at www.QualityStoneVeneer.com.



ONE MANUFACTURER. ONE INSTALLER. ONE SOURCE OF ACCOUNTABILITY.

5	DATE:	CUSTOMER NAME:		
TRAILITY STON	BILLING ADDRESS:		CITY, STATE:	
VENIER INC	ZIP CODE:	PHONE:	EMAIL:	
1 200 705 6200	DELIVERY ADDRESS: (IF APP)	LICABLE)	TE:	ZIP CODE:
1.800.795.6200 STONEONIY@QUALITYSTONEVENEER.COM		<u> </u>		
SHIPPING IS CALCULATED AT \$5.00 PER MILE 1 WAY.	PICKUP FROM: 50 REFTON RD, RI			TOWER CITY, PA 0, TOWER CITY, PA 17980
STONE STYLE SELECTION STO	ONE COLOR SELE	CTION PREC	CAST COLOR	SELECTION
		MOI	RTAR COLOR S	SELECTION
	. FLATS NTS OF 10)		ORNERS NTS OF 5)	
C+-	ndard Color	Classic Color	Cus	tom Color
LARGE PROFILE: Flats Corners	Flo	ats orners	Flats Corners	torii Color
SWATCH	STONE NAME	IFLATIS QUANT	TITY CORNE	IRS QUANTITY
R	EGAL ASHLAR			
	COBBLE			
TRAVERTINE:	E	Standard Color	Cus Flats	tom Color
		orners FLATS QUANT	Corners	IRS QUANTITY
	TRAVERTINE	Trayna Calvan		REQUEST (800)795-3229 A QUOTE

			STATE OF STA		11,000		
6		DATE:		CUSTOMER NAME			
		BILLING ADDRESS: CITY, STA			CITY, STATE:	Y, STATE:	
AT NULLY SYMON							
	10	ZIP CODE:		PHONE:		EMAIL:	
VENIERING							
To be a second of the second o	TIM)	DELIVERY	ADDRESS: (IF APP)	LICABLE)	CITY, STATE:		ZIP CODE:
est. 1976							
1.800.795.6200					l		
STONEONLY@QUALITYSTONEVENEER.	COM						
					N		
*SHIPPING IS CALCULATED AT			PICKUP FROM:	[문화]		PICKUP FROM: T	
\$5.00 PER MILE 1 WAY.*			50 REFTON RD, RI	EF10N, PA 1/508		251 CLARKS VALLEY RD,	TOWER CITY, PA 17980
CLIP SYSTEM & LA	MP	ole	TPMI	TAINA	MOI	MATE	DIVIC
		Contract of the State of the St	A STATE OF THE REAL PROPERTY.	THE PARTY OF THE P			
ONE MANUFACTURER	. One I	NSTA	ller. On	E SOURCE	OF ACC	COUNTABILI	TY.
LAMBRIS STYLE SELECTION: LAMBRIS	COLOR SE	LECTIO	N: PRECA	ST COLOR SEL	ECTION:	MORTAR COLO	OR SELECTION:
QTY WATER-RESISTIVE BARRIER	PRICE	Unit					
Water-Resistive Barrier 1 Ply 60 min		240sf	141 401 1444.0000		ber 60-min F	Paper) is figured for	the entire square
Water-Resistive Barrier Hydrotex		120sf	footage of the	stone area.			
QTY SELF-ADHERED RUBBER FLASHING	PRICE	Unit	Self-Adhered F	lashing (6" Flash	ning Tape) is	figured for transitio	ns within
Vycor Plus Self Adhered Flashing - 6"x75"			the stone area				A.
QTY CASING BEAD, DRIP CAP, WOW'S	PRICE	Unit				ed backer rod) is figure	
2" EZ Bead		10'pc	DIRECT APPLICATION	ON MATERIALS: (Use	d only in a mort	to provide a 3/8" gap l car & wire lath install)	
10' Drip Cap 3 1/2"x1 1/4"x1/4" Ga Galva.		10'pc	9 5		70	d and above windows, horizontal expansion	
Wall Opening Weeps	ŀ	PC	- Wall Opening \	Neeps are used ev	ery 12" on cer	nter above the Drip Ca	р.
Drain Mat - Keene 100 feet		100sf				ed in combination with tar scratch coat and th	
QTY CLIPS, SCREWS, STARTER STRIP	PRICE	Unit		100		near footage of Clip	
Galvanized Clip - 22 Ga (3 per sf)	1	EΑ				1 per linear foot of (Clip Starter Strip.
Clip Screw - #8 1 5/8" Wafer Head Screw	l	_B		A second or the second			d at each transition
10' Galv. Clip Starter Strip w/ Drip Edge	1	10'pc		175		continues up the wa	
QTY WIRE LATH	1	Unit			International Property of the	sf of stone for Clip S Sills, Shutter Blocks,	
Wire - 2.5 lb Galv. 27"x97"		16sf	of additional w	vire lath for ever	y 25 sills afte	er the initial 50 sills o	on the order.
Wire - 3.4 lb Galv. 27"x97"		16sf				for the total SF of s	A STO
QTY MORTAR	1					ied Mortar per 100s	f of stone.
Amerimix Mortar - Polymer Modified 475			TON DIRECT A	PLICATION ARE	A3. I Dag Of	roly-iviouilled mon	tar per 15sf of stone.
QTY ADDITIONAL FASTENERS	T T	UNIT					
Staples - 3/8" Bos H30 HT Galv. 5M	1	3X	The second secon			screws for the wire	
Nails-Coil - 1 1/2" Roofing Nail (120 pc/roll) Trakfast Pins - (1,000 pc/bx w fuel cell)	1	Roll 3X	7 -			st penetrate wood s e three screw threa	
Trakfast Washers - (1,000/box)		BX	studs. Refer to	the latest version	n of the <i>NCI</i>	MA Installation Guid	le at
Nails - Roofing 1 3/4"	1	3X	www.NCMA.o	rg for proper fast	tener require	ements for your wal	l system.
Nails - Concrete Stub Nail 3/4" (225 pc/LB)	4	_B					
QTY EXPANSION JOINTS		Unit				ould be set vertically	adjacent to changes
1/2" Expansion Joint - Galv. Metal		101		alongside window exceed 15 foot on			ORICING - CALL TOO
QTY QUALITY STONE VENEER FINISHING KIT		Unit	Spacing is not to	CACCCO 13 1001 011	center in any	an estion.	St. Con The St. Co
QSV Dye (Indicate color) - 35LB-5gal.	T T			Jsed on touch up	areas and o	on exposed cut ends	REQUEST (800)795-3229
Qo' D' ((()) O) O) O O O							
Stain (Indicate color) 1 pint	ļ	PT		gured per 500sf o be spray or brush		quart per 1,000sf	



STONEONLY@QUALITYSTONEVENIER.COM

-OHIO	DRYSTACK L	AMBRIS-	-DRY	STACK LAN	MBRIS-
in the same of annual contracts	VN) CLASSIC: \$(+20%)	di terre Andro Koren, in di 16. H	- Letterson D. New M. German . March 1975-1976	N) CLASSIC: \$(+20%)	
	SQ. FT. FLATS (INCREMENTS OF 10)	LN. FT. CORNERS (INCREMENTS OF 5)		SQ. FT. FLATS (INCREMENTS OF 10)	LN. FT. CORNERS (INCREMENTS OF 5)
Y PIECE	DIMENSION	FOOTAGE PRICE/PIE	CE QTY PIECE	DIMENSION	FOOTAGE PRICE/PIE
	24"x12"x1½" Flat	2		18"x12"x1¾" Flat	1.5
	24"x4"x1½" Flat	0.67		18"x6"x1¾" Flat	0.75
	24"x12"x1½" Corner	2		18"x6"x1¾" Corner	0.75
	16¼"x12"x1½" Corner	1.35		12"x6"x1¾" Corner	0.5
	LESTONE LA			STONE LA	
	SQ. FT. FLATS (INCREMENTS OF 10)	LN. FT. CORNERS (INCREMENTS OF 5)		SQ. FT. FLATS (INCREMENTS OF 10)	LN. FT. CORNERS (INCREMENTS OF 5)
Y PIECE	DIMENSION	FOOTAGE PRICE/PIE	CE QTY PIECE	DIMENSION	FOOTAGE PRICE/PIE
	24"x16"x1¾" Flat	2.66		28½"x16"x1¾" Flat	2.92
			The same of the sa	28½"x8"x1¾" Flat	1.46
	24"x8"x1¾" Flat	1.33		18¼"x8"x1¾" Flat	0.77
	24"x8"x1¾" Corner	1.33		8"x4¾"x1¾" Flat	0.27
	16"x8"x1¾" Corner	0.88		22½"x16"x1¾" Corner	2.25
	<u>HISTORIC BR</u>	ICK-	-METRO	OPOLITAN	BRICK-
	RD: (SHOWN) CUSTO	•		D: (SHOWN) CUSTO	
	SQ. FT. FLATS (INCREMENTS OF 10)	(INCREMENTS OF 5)		SQ. FT. FLATS (INCREMENTS OF 10)	(INCREMENTS OF 5)
Y PIECE	DIMENSION	FOOTAGE PRICE/PIEC	CE QTY PIECE	DIMENSION	FOOTAGE PRICE/PIE
	26"x12"x1½"-12 B Flat	2.16		8"x15¾"x1½"-6 B Flat	0.87
	8¾"x15"x1½"-5 B Flat	0.91			
	8¾"x6"x1½"-2 B Flat	0.36		8"x2%"x1½"-1 B Flat	0.14 REQUE
	17½"x6"x1½" Corner	0.72		16¾"x5¼"x1½" Corner	0.61 (800)795 A QUO



1.800.795.6200 stoneonly@qualitystoneveneer.com

LAMBRIS STYLES

ONE MANUFACTURER. ONE INSTALLER. ONE SOURCE OF ACCOUNTABILITY.


\$250-100 AVE 1000-1	EDRA CORTA	n vs * Tweets * * * * * * * * * * * * * * * * * * *		STANDA	RD: (SHOWN) CUSTO	SESTINE ** 1-5700 1 = 1 - 1 - 1	5)
	SQ. FT. FLATS (INCREMENTS OF 10)	LN. FT. COI			SQ. FT. FLATS (INCREMENTS OF 10)		CORNERS MENTS OF 5)
Y PIECE	DIMENSION	FOOTAGE PRICE	CE/PIECE Q	TY PIECE	DIMENSION	FOOTAGE	PRICE/PIE
	24"x12"x1¾" Flat	2			48"x8"x1½"-3 Block	2.66	
	24"x3"x1¼" Flat	0.5			16"x8"x1½"-1 Block	0.88	
	20"x12"x1¾"Corner	1.66			20"x8"x1½" Corner	1.11	
STANDA	-APILADA- ARD: (SHOWN) CUSTO	M: \$(+50%)		STANDA	-SEGOVIA ARD: (SHOWN) CUSTO	□ OM: \$(+50%	%)
	SQ. FT. FLATS (INCREMENTS OF 10)	LN. FT. COI			SQ. FT. FLATS (INCREMENTS OF 10)		CORNERS MENTS OF 5)
Y PIECE	DIMENSION	FOOTAGE PRICE	CE/PIECE Q	TY PIECE	DIMENSION	FOOTAGE	PRICE/PIE
	26¾"x12"x1½" Flat	2.22			24"x16"x1½" Flat	2.66	
	26¾"x3"x1½" Flat	0.55	,		24"x8"x1½" Flat	1.33	
	16½"x6"x1½" Corner	0.68	-		24"x8"x1½" Corner 16"x8"x1½" Corner	1.33 0.88	
	BANA FUSI				ANA TRAVE		
SIAND	SQ. FT. FLATS (INCREMENTS OF 10)	LN. FT. COR		SIAND	SQ. FT. FLATS (INCREMENTS OF 10)	LN. FT.	CORNERS MENTS OF 5)
Y PIECE	DIMENSION	FOOTAGE	\$/PC Q	TY PIECE	DIMENSION	FOOTAGI	\$/PC
	24"x16"x1 ¾" Flat	2.66			24"x16"x1 ¾" Flat	2.66	
	24"x8"x1 ¾" Flat	1.33			24"x8"x1 ¾" Flat	1.33	ICING . CAL
	24"x8"x1 ¾" Corner	1.33			24"x8"x1 ¾" Corne	r <i>1.33</i>	REQUE
	16"x8"x1 ¾" Corner	0.88			16"x8"x1 ¾" Corne	r <i>0.88</i>	(800)795= A QUO



1.800.795.6200 STONEONLY@QUALITYSTONEVENEER.COM

PRECAST ACCESSORIES

ONE MANUFACTURER. ONE INSTALLER. ONE SOURCE OF ACCOUNTABILITY.



QŢY	SILLS	PRICE	Unit
	24"x2½"x3" Hewn Sill		per sill
	36"x3½"x3" Siota Sill		per sill
	48"x6"x3" Siota Sill		per sill
	48"x8"x3" Siota Sill		per sill
	48"x12"x3" Siota Sill		per sill



QŢY	SOLDIERS & ACCENT BANDS	PRICE	Unit
	8"x4"x1½" Hewn Soldier		each
	8"x2¼"x1½" Drystack Soldier		each
	42"x8"x2" Hewn Lintel		each
	32"x4"x2½" Siota Band		each
	36"x5"x2½" Siota Band		each
	32"x4"x2" Liso Band		each
	38"x6"x3" Siota Beveled Water Table		each
	38"x6"x3" Siota Beveled WT Right End		each
	38"x8"x3" Siota Beveled Water Table		each
	38"x8"x3" Siota Beveled WT Right End		each


7	-	1-1-1-1	

QŢY	BRICK SILLS & ACCENTS	PRICE	Unit
	23½"x3½"x3" Metropolitan Brick Sill		per sill
	24"x4½"x3" Historic Brick Sill		per sill
	24"x3½"x3" Standard Brick Sill		per sill
	24"x3½"x2" Handcrafted Brick Rowlock		each
	24"x3½"x2" Standard Brick Rowlock		each
	24"x3½"x1½" Historic Brick Rowlock		each
	24"x9"x1½" Historic Brick Soldier		each
	7½"x2¼"x1½" Standard Brick Flat		each
	9"x3"x1½" Handcrafted Brick Flat		each
	11"x2¼"x1½" Standard Brick Corner		each
	12½"x3"x1½" Handcrafted Brick Corner		each

*PRECAST	*BRICK	
COLOR:	COLOR:	
PERSONAL PROPERTY AND ADDRESS OF THE PERSON	Management of the property of	The second secon







			733 N
QŢY	FIREPLACE ACCESSORIES	PRICE	Unit
	10¼"x4½"x6" Mantle Bracket		each
	24"x24"x1½" Sandstone Hearth	K	OR PRICING . CALL TOL
	18"x18"x1½" Sandstone Hearth	raq ₁	REQUEST
	Tan TN Sandstone Mantle 60"x12"x2¼"BN/MV	20.0	(800)795-32
388	REELS & VININEIS UNIVS REELS	The state of the s	A QUOTE

*PRECAST ACCESSORIES AVAILABLE IN EGGSHELL, SAND, SIENNA & STEEL.
*BRICK ACCESSORIES AVAILABLE IN BRACKSTON & BRANDYWINE.


ONE MANUFACTURER. ONE INSTALLER. ONE SOURCE OF ACCOUNTABILITY.





SIENNA

STEEL





QŢY	HEWN EDGE CAPS	PRICE	Unit
	32"x8"x2" Hewn Edge Cap		each
	32"x10"x2" Hewn Edge Cap		each
	32"x14"x2" Hewn Edge Cap		each
	32"x16"x2" Hewn Edge Cap		each
	32"x18"x2" Hewn Edge Cap		each
	32"x20"x2" Hewn Edge Cap		each
	32"x24"x2" Hewn Edge Cap		each
	36"x20"x2" Hewn Edge Cap		each







QŢY	HEWN EDGE PIER CAPS	PRICE	Unit
	24"x24"x3" Hewn Sandstone Pier Cap	- 1:	each
	24"x24"x3" Hewn SS PC 2p w/4" Post		each
	18"x18"x3" Hewn Sandstone Pier Cap	3 6	each
	18"x18"x3" Hewn SS PC 2p w/4" Post		each
	19"x19"x2" Hewn Edge Pier Cap		each
	24"x24"x2" Hewn Edge Pier Cap		each
	30"x30"x2" Hewn Edge Pier Cap		each









*PRECAST CAPPING AVAILABLE IN EGGSHELL, SAND, SIENNA & STEEL.

1.800.795.6200 STONEONLY@QUALITYSTONEVENEER.COM

est. 1976

INSTALLATION MATERIALS

ONE MANUFACTURER. ONE INSTALLER. ONE SOURCE OF ACCOUNTABILITY.

QŢY	WATER-RESISTIVE BARRIER	PRICE	Unit
	Water-Resistive Barrier 1 Ply 60 min		240sf
	Water-Resistive Barrier Hydrotex		120sf

QŢY	FLASHINGS	PRICE	Unit
	Gray Weep Screed 7/8" STANDARD		10'pc
	Drip Cap 26 ga Galv. 3 1/2"x1 1/4"x1/4"		10'pc
	Flashing Self Adhering STANDARD		75'roll
	Ice and Water Shield		200sf

QŢY	WIRE LATH	PRICE	Unit
	Wire - 2.5 STANDARD		16sf
	Wire - 3.4		16sf

QTY	MISCELLANEOUS MATERIALS	PRICE	Unit
	Drain Mat - Keene - 100 SF Roll		100sf
	Drain Mat - Keene - 260 SF Roll		260sf
	EZ Bead - 7/8" STANDARD		10'pc
	Diverter - Left STANDARD		each
	Diverter - Right STANDARD		each

Q	TY FASTENERS	PRICE	Unit
	3/8" Staple Bos H30 HT Galv. 5M		box
	Nails-Coil 1 1/2" (120 pc/roll) STANDARD		roll
	3/4" Trakfast Concrete Pin – 1000/Box w Fuel Cell		box
	TrakFast Washers - (1,000 pc) STANDARD		box
	Nails-Roofing 1 3/4" (150pc/ LB)		LB
	Nails-Concrete 3/4" (225 pc /LB)		LB

QŢY	MORTAR	PRICE	Unit
	Gray Mortar - (33 SF /Bag) STD Type S		bag
	White Type S Mortar (3bags/100sf)		bag
	Gray Premix Mortar — Quikrete(11sf-Std or 13.5sf-Dry/Bag)		bag

QŢY	MORTAR ACCESSORIES	PRICE	Unit
	Bonding Agent Quikrete Adhesive (1 qt)		qt
	Acryl 60 Acrylic Admixture (1 gal)		gallon
	Acryl 60 Acrylic Admixture (5 gal)		bucket
	Sand for Installation, Delivered by QSV (9 Bags Mortar/Ton)		ton
	White Sand for Installation, Delivered by QSV		ton

QTY	CLIP SYSTEM™ INSTALLATION	PRICE	Unit
	Clip Screw -Philip Head 1 5/8" (127 pc/ LB)		LB
	Clip Glav 22 ga (3 per SF)		рс
	Galvanized Clip Starter Strip w/Drip Edge 10'		10'pc

QŢY	THERMAL PENN FLAGSTONE	PRICE	Unit
	Thermal Penn 3 sides Rockfaced 8"x60"x2"		each
	Thermal Penn 3 sides Rockfaced 10"x72"x2		each
	Thermal Penn Flagstone 24"x72"x2" Rockfaced 1 side		each
	Thermal Penn Flagstone 24"x96"x2"		each
	Thermal Penn Flagstone 30"x30"x1.5"		each
	Thermal Penn Flagstone 12"x12"x1.5"		each
	Thermal Penn Flagstone 12"x18"x1.5"		each
	Thermal Penn Flagstone 12"x24"x1.5"		each
	Thermal Penn Flagstone 12"x30"x1.5"		each
	Thermal Penn Flagstone 18"x18"x1.5"		each
	Thermal Penn Flagstone 18"x24"x1.5"		each
	Thermal Penn Flagstone 18"x30"x1.5"		each
	Thermal Penn Flagstone 24"x24"x1.5"		each
	Thermal Penn Flagstone 24"x30"x1.5"		each
	Thermal Penn Flagstone 24"x36"x1.5"		each

QŢY	INDIANA LIMESTONE	PRICE	UNIT
	Indiana Limestone 10"x72"x2"		each
	Indiana Limestone 24"x96"x2"		each
	Indiana Limestone 24"x24"x1.5"		each

QŢY	BROWNSTONE FLAGSTONE	PRICE	UNIT
	Brownstone Flagstone 24"x72"x2"		each
	Brownstone Flagstone 24"x24"x1.25"		each

QŢY	MISCELLANEOUS FLAGSTONE	PRICE	UNIT
	Tan TN Sandstone Mantle 60"x12"x2¼" BN/MV		each
	Irregular Gray Flagstone - BN/MV 1.5"-2"		sq ft
	Irregular Tan Flagstone - BN/MV 1.5"-2"		sq ft
	Flagstone Custom Size	TBD	sq ft

QTY	QUALITY STONE VENEER FINISHING KIT	PRICE LI CALL TODAY TON
	QSV Dye (Indicate color) – 35LB-5gal.	2
	Stain (Indicate color) 1 pint	REQUEST (800)795-3229
	Stain (Indicate color) 1 quart	A QUOTE
		DE TOTALOO VALLE ONLY TO BE THE TOTAL TO BE TH